

Eden Research Laboratory

# Report Draft

To: [REDACTED]

Report Number: [REDACTED]

Date: May 17, 2015

From: Thomas Poth - Eden Research Laboratory

Regarding: 457 day study of [REDACTED] EVA Sample - ERL #899



## RESULTS

Thermophilic study for biodegradation, over 457 day period, of [REDACTED] sample resulted in EVA Sample (ERL #899) — 52.8% biodegradation.

## METHOD

The degree and rate of anaerobic biodegradability of a plastic type material may be predictive of the period required to reduce the proposed plastic from the environment depending on the given conditions. Where disposal is considered a major issue, this test method may be useful to estimate the degree and persistence of biodegradable plastic in a biologically active anaerobic disposal situation. ASTM method D5511-12 determines the degree of anaerobic biodegradation of plastic materials in a high-solids anaerobic conditions. The sample is exposed to methanogenic inoculum cultivated from a wastewater treatment facility's anaerobic digesters and post consumer pretreated household waste. Anaerobic decomposition in this case employs a high solids environment. High solids conditions are usually considered to be greater than 20% solids. The sample conditions remain static.

This method is designed to yield a percentage of conversion of carbon in the sample to carbon in the gaseous form under conditions found in high-solids anaerobic digesters, treating municipal solid waste. This can be validated using change in mass of the original sample. This method is also designed to resemble many conditions in a biologically active landfill. This method is applicable to all plastic materials that are not toxic to microorganisms. In this method, temperature and moisture are optimized and these conditions are not likely in many landfills. In such cases biodegradation would not be as accelerated.

ASTM Method D5511 determines the rate and degree of anaerobic biodegradation by measuring the volume of carbon dioxide (CO<sub>2</sub>) and methane (CH<sub>4</sub>), or change in mass as a function of time (days) of exposure to anaerobic-digester sludge. This method is considered an accelerated representation with respect to anaerobic environments. A managed, biologically active landfill is a prime example of the environment where plastics are disposed.

## INOCULUM

1. Inoculum Characteristics and Preparation
  1. Sludge from Organic Compost – Bernalillo Municipal Compost Facility & Albuquerque Municipal Wastewater Facility
    1. Fifteen day hold period observed @53 ± 2°C
    2. Solid Content - 46.3% - The method allows anything greater than 20%. Eden Research Laboratory conducts this test at higher solids to better simulate landfill conditions.
    3. pH - 7.5 - 7.9
    4. Volatile Fatty Acids - 0.8 g/kg
    5. Ammonium Nitrogen 1.2 mg/kg

## SAMPLES THEORETICAL CARBON CONTENT


2111 Menaul NE, Suite A  
Albuquerque, NM 87107

T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)

Reproduce report ONLY in FULL  
Total pages 12

Page 1



ASTM D5511-12 - Anaerobic High Solids Biodegradability -

Sample	Percent Resin	Percent Carbon	Percent Additive	Percent Carbon	Total
899	99.0	81.7	1	72.9	81.6

Eden Research Laboratory

# Report Draft


2111 Menaul NE, Suite A  
Albuquerque, NM 87107  
T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)

WEEKLY GAS VOLUMES (mL) @STP  
CONTROL SET

Week Begin	IA	IB	IC	NA	NB	NC	PA	PB	PC
15-Feb-14	647.8	643.2	624.7	846.8	828.3	888.4	4548.6	4604.2	4613.4
22-Feb-14	212.9	212.9	157.3	231.4	263.8	222.1	1499.2	2133.2	2281.3
01-Mar-14	60.2	55.5	-41.6	23.1	23.1	50.9	2165.6	1925.0	1230.9
08-Mar-14	13.9	-4.6	120.3	37.0	27.8	115.7	481.2	657.1	476.6
15-Mar-14	4.6	60.2	208.2	-13.9	0.0	9.3	134.2	217.5	157.3
22-Mar-14	55.5	23.1	69.4	18.5	9.3	13.9	97.2	87.9	111.1
29-Mar-14	-18.5	-23.1	37.0	4.6	18.5	-9.3	-78.7	-74.0	-69.4
05-Apr-14	13.9	18.5	-46.3	-18.5	-27.8	9.3	-50.9	-41.6	-55.5
12-Apr-14	-13.9	-18.5	27.8	4.6	13.9	-27.8	23.1	-9.3	9.3
19-Apr-14	13.9	4.6	-13.9	23.1	-13.9	-41.6	-13.9	-13.9	-32.4
26-Apr-14	-32.4	-41.6	-27.8	-64.8	-13.9	-23.1	-55.5	-27.8	-18.5
03-May-14	37.0	37.0	-9.3	27.8	-23.1	-9.3	23.1	9.3	23.1
10-May-14	-13.9	23.1	9.3	0.0	-18.5	18.5	13.9	-18.5	-32.4
17-May-14	-37.0	-23.1	-27.8	4.6	37.0	13.9	-37.0	-9.3	-0.0
24-May-14	-37.0	-50.9	-4.6	-55.5	-55.5	-0.0	-13.9	-18.5	-9.3
31-May-14	41.6	32.4	37.0	18.5	27.8	-37.0	9.3	41.6	27.8
07-Jun-14	-27.8	-9.3	-37.0	13.9	-23.1	-23.1	-9.3	-23.1	-23.1
14-Jun-14	-13.9	27.8	-0.0	286.9	32.4	-13.9	4.6	-27.8	9.3
21-Jun-14	23.1	60.2	13.9	41.6	-4.6	9.3	-18.5	18.5	-18.5
28-Jun-14	0.0	-32.4	-4.6	83.3	-157.3	-18.5	-4.6	-4.6	0.0
05-Jul-14	101.8	27.8	78.7	-64.8	573.8	-9.3	37.0	69.4	50.9
12-Jul-14	55.5	-18.5	13.9	23.1	-41.6	41.6	0.0	-55.5	-37.0
19-Jul-14	18.5	27.8	9.3	46.3	41.6	4.6	13.9	-4.6	23.1
26-Jul-14	50.9	4.6	37.0	-13.9	-18.5	41.6	-13.9	-4.6	-9.3
02-Aug-14	129.6	-13.9	27.8	23.1	64.8	69.4	-18.5	-13.9	-32.4
09-Aug-14	9.3	0.0	-60.2	-46.3	-13.9	9.3	13.9	13.9	-4.6
16-Aug-14	50.9	-0.0	-9.3	32.4	-46.3	41.6	13.9	13.9	9.3
23-Aug-14	69.4	32.4	-64.8	23.1	-4.6	60.2	-13.9	-4.6	-9.3
30-Aug-14	0.0	55.5	-69.4	-4.6	9.3	23.1	-4.6	-13.9	9.3
06-Sep-14	0.0	87.9	23.1	-18.5	4.6	18.5	-13.9	-0.0	18.5
13-Sep-14	37.0	74.0	-0.0	-9.3	4.6	27.8	9.3	4.6	60.2
20-Sep-14	74.0	37.0	64.8	78.7	78.7	64.8	23.1	23.1	115.7
27-Sep-14	41.6	60.2	23.1	23.1	-9.3	-32.4	4.6	9.3	64.8
04-Oct-14	23.1	-18.5	-18.5	32.4	13.9	37.0	-32.4	-23.1	83.3
11-Oct-14	-13.9	27.8	-4.6	-23.1	27.8	-9.3	4.6	-9.3	87.9
18-Oct-14	4.6	46.3	41.6	-4.6	-18.5	18.5	-4.6	41.6	60.2
25-Oct-14	32.4	13.9	-18.5	-0.0	13.9	18.5	-4.6	162.0	0.0
01-Nov-14	46.3	9.3	55.5	18.5	13.9	55.5	27.8	129.6	41.6
08-Nov-14	0.0	-0.0	-27.8	-9.3	13.9	-32.4	-0.0	83.3	23.1
15-Nov-14	-23.1	37.0	37.0	-18.5	-4.6	37.0	-37.0	27.8	41.6
22-Nov-14	46.3	18.5	-27.8	18.5	13.9	-9.3	13.9	83.3	9.3
01-Dec-14	-9.3	-32.4	18.5	23.1	-27.8	37.0	4.6	27.8	50.9

Reproduce report ONLY in FULL  
Total pages 12



Eden Research Laboratory

# Report Draft

2111 Menaul NE, Suite A  
Albuquerque, NM 87107  
T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)


Reproduce report ONLY in FULL  
Total pages 12

Page 3

Week Begin	IA	IB	IC	NA	NB	NC	PA	PB	PC
08-Dec-14	0.0	23.1	0.0	-23.1	18.5	-55.5	18.5	-32.4	-18.5
15-Dec-14	13.9	4.6	0.0	18.5	-32.4	18.5	0.0	27.8	13.9
22-Dec-14	-9.3	23.1	37.0	-27.8	4.6	27.8	0.0	18.5	-18.5
29-Dec-14	27.8	-27.8	-37.0	18.5	27.8	-4.6	0.0	9.3	13.9
05-Jan-15	-4.6	23.1	4.6	0.0	0.0	0.0	0.0	-4.6	9.3
12-Jan-15	-27.8	0.0	27.8	0.0	-4.6	0.0	0.0	13.9	9.3
19-Jan-15	13.9	-9.3	-9.3	0.0	4.6	0.0	0.0	0.0	0.0
26-Jan-15	9.3	9.3	-4.6	-4.6	0.0	0.0	0.0	0.0	-4.6
02-Feb-15	-18.5	-27.8	-27.8	0.0	-4.6	0.0	0.0	0.0	-9.3
09-Feb-15	-13.9	37.0	46.3	0.0	0.0	4.6	0.0	-4.6	9.3
16-Feb-15	13.9	-27.8	-27.8	0.0	0.0	0.0	0.0	-4.6	4.6
23-Feb-15	9.3	9.3	-4.6	0.0	4.6	0.0	0.0	0.0	4.6
02-Mar-15	-4.6	-23.1	13.9	0.0	0.0	-4.6	0.0	0.0	4.6
09-Mar-15	4.6	27.8	-23.1	4.6	-4.6	0.0	0.0	0.0	0.0
16-Mar-15	9.3	-23.1	0.0	0.0	0.0	0.0	0.0	9.3	9.3
23-Mar-15	-9.3	37.0	32.4	0.0	0.0	0.0	18.5	18.5	13.9
30-Mar-15	9.3	-9.3	0.0	0.0	0.0	0.0	-4.6	0.0	9.3
06-Apr-15	4.6	13.9	-13.9	0.0	0.0	0.0	-4.6	0.0	9.3
13-Apr-15	-13.9	-18.5	23.1	0.0	0.0	4.6	4.6	0.0	-4.6
20-Apr-15	-18.5	27.8	-9.3	0.0	0.0	0.0	4.6	0.0	-4.6
27-Apr-15	18.5	-41.6	9.3	0.0	0.0	-4.6	-9.3	0.0	-9.3
04-May-15	0.0	4.6	0.0	0.0	0.0	9.3	0.0	0.0	13.9
11-May-15	32.4	-52.1	-41.6	0.0	-4.6	0.0	0.0	0.0	0.0

### SAMPLE SET

Week Begin	899A	899B	899C
15-Feb-14	1679.7	1416.0	1383.6
22-Feb-14	249.9	328.5	245.2
01-Mar-14	46.3	120.3	254.5
08-Mar-14	263.8	106.4	351.7
15-Mar-14	342.4	740.4	453.5
22-Mar-14	337.8	476.6	0.0
29-Mar-14	296.1	0.0	310.0
05-Apr-14	388.7	379.4	680.2
12-Apr-14	638.6	680.2	60.2
19-Apr-14	809.8	175.8	203.6
26-Apr-14	393.3	41.6	27.8
03-May-14	360.9	175.8	203.6
10-May-14	226.7	83.3	83.3
17-May-14	0.0	189.7	185.1
24-May-14	698.7	157.3	27.8
31-May-14	444.2	199.0	263.8
07-Jun-14	120.3	37.0	46.3
14-Jun-14	106.4	83.3	78.7
21-Jun-14	740.4	101.8	143.4
28-Jun-14	92.5	50.9	55.5
05-Jul-14	101.8	60.2	46.3
12-Jul-14	162.0	41.6	41.6



Eden Research Laboratory

# Report Draft

2111 Menaul NE, Suite A  
Albuquerque, NM 87107  
T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)

Reproduce report ONLY in FULL  
Total pages 12

Page 4


## ASTM D5511-12 - Anaerobic High Solids Biodegradability -

Week Begin	899A	899B	899C
19-Jul-14	194.3	55.5	157.3
26-Jul-14	171.2	23.1	129.6
02-Aug-14	55.5	41.6	101.8
09-Aug-14	78.7	41.6	268.4
16-Aug-14	60.2	18.5	60.2
23-Aug-14	60.2	46.3	78.7
30-Aug-14	55.5	60.2	120.3
06-Sep-14	55.5	-0.0	92.5
13-Sep-14	60.2	27.8	46.3
20-Sep-14	32.4	46.3	18.5
27-Sep-14	111.1	78.7	74.0
04-Oct-14	83.3	92.5	41.6
11-Oct-14	189.7	152.7	32.4
18-Oct-14	587.7	661.7	259.1
25-Oct-14	166.6	587.7	296.1
01-Nov-14	9.3	259.1	245.2
08-Nov-14	0.0	208.2	291.5
15-Nov-14	55.5	-9.3	323.9
22-Nov-14	-4.6	-9.3	115.7
01-Dec-14	-4.6	4.6	41.6
08-Dec-14	13.9	-9.3	18.5
15-Dec-14	-4.6	41.6	37.0
22-Dec-14	-9.3	101.8	37.0
29-Dec-14	-9.3	50.9	27.8
05-Jan-15	4.6	13.9	13.9
12-Jan-15	9.3	27.8	32.4
19-Jan-15	0.0	23.1	55.5
26-Jan-15	0.0	37.0	23.1
02-Feb-15	-13.9	97.2	60.2
09-Feb-15	4.6	46.3	32.4
16-Feb-15	4.6	27.8	37.0
23-Feb-15	4.6	32.4	60.2
02-Mar-15	0.0	4.6	50.9
09-Mar-15	-9.3	4.6	32.4
16-Mar-15	-13.9	64.8	23.1
23-Mar-15	0.0	78.7	46.3
30-Mar-15	9.3	50.9	46.3
06-Apr-15	4.6	74.0	64.8
13-Apr-15	-13.9	13.9	115.7
20-Apr-15	-9.3	27.8	78.7
27-Apr-15	9.3	27.8	74.0
04-May-15	-13.9	74.0	83.3
11-May-15	4.6	-9.3	69.4

### WEEKLY GAS QUALITY (mL) METHANE CONTROL SET

Week Begin	IA	IB	IC	NA	NB	NC	PA	PB	PC
15-Feb-14	191.1	209.0	196.8	281.1	258.4	255.9	1555.6	1556.2	1471.7

ASTM D5511-12 - Anaerobic High Solids Biodegradability -



Eden Research Laboratory

# Report Draft

2111 Menaul NE, Suite A  
Albuquerque, NM 87107


T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)

Reproduce report ONLY in FULL  
Total pages 12

Page 5

Week Begin	IA	IB	IC	NA	NB	NC	PA	PB	PC
22-Feb-14	94.5	87.3	79.0	124.9	134.5	116.6	827.6	1201.0	1067.6
01-Mar-14	30.6	28.0	-22.3	12.4	11.9	26.7	1217.1	1139.6	590.8
08-Mar-14	7.1	-2.6	68.3	21.9	15.4	68.9	286.8	390.3	266.9
15-Mar-14	2.4	34.6	117.6	-8.2	0.0	5.4	74.7	132.2	83.2
22-Mar-14	28.2	13.5	39.1	11.0	5.4	8.2	54.2	53.7	60.6
29-Mar-14	-9.6	-13.7	20.6	2.8	10.8	-5.7	-44.5	-44.6	-37.8
05-Apr-14	7.2	11.1	-25.4	-11.7	-16.4	5.7	-29.7	-25.9	-30.6
12-Apr-14	-7.1	-11.0	15.1	2.9	8.4	-17.0	13.7	-5.7	5.3
19-Apr-14	6.9	2.8	-7.4	14.7	-8.5	-25.3	-8.1	-8.6	-18.3
26-Apr-14	-16.1	-25.3	-14.9	-41.1	-8.5	-13.9	-32.0	-17.2	-10.4
03-May-14	18.5	23.1	-4.9	17.5	-14.0	-5.6	13.2	5.8	13.1
10-May-14	-7.2	14.6	4.8	0.0	-11.5	11.3	8.1	-11.7	-18.9
17-May-14	-19.7	-14.5	-14.3	2.9	23.6	8.6	-21.7	-5.9	-0.0
24-May-14	-20.4	-32.6	-2.4	-35.2	-35.1	-0.0	-8.4	-12.0	-5.3
31-May-14	23.3	20.7	19.1	12.0	18.0	-23.3	5.6	26.9	16.1
07-Jun-14	-15.3	-6.1	-19.8	9.0	-15.2	-14.9	-5.6	-14.9	-13.3
14-Jun-14	-7.8	18.4	-0.0	184.5	21.3	-9.0	2.9	-18.3	5.3
21-Jun-14	13.0	39.4	7.5	27.3	-3.1	6.0	-11.4	12.5	-10.5
28-Jun-14	0.0	-21.1	-2.5	55.3	-105.3	-12.2	-2.9	-3.1	0.0
05-Jul-14	58.2	18.0	41.1	-44.0	382.7	-6.3	23.5	46.0	29.9
12-Jul-14	31.9	-12.0	7.2	15.7	-28.3	27.8	0.0	-37.8	-21.6
19-Jul-14	10.5	17.9	4.9	31.0	29.1	3.1	8.7	-3.2	13.4
26-Jul-14	29.3	3.0	20.0	-9.4	-12.9	28.1	-8.6	-3.1	-5.4
02-Aug-14	75.5	-8.9	14.8	15.9	44.6	46.6	-11.5	-9.4	-18.8
09-Aug-14	5.3	0.0	-31.6	-31.6	-9.5	6.2	8.5	9.3	-2.7
16-Aug-14	28.8	-0.0	-4.8	22.3	-31.2	27.9	8.4	9.4	5.4
23-Aug-14	39.8	21.4	-33.6	16.0	-3.2	40.8	-8.5	-3.2	-5.4
30-Aug-14	0.0	36.3	-35.3	-3.2	6.3	15.8	-2.8	-9.4	5.5
06-Sep-14	0.0	57.3	11.8	-12.8	3.2	12.8	-8.4	-0.0	10.8
13-Sep-14	21.1	48.7	-0.0	-6.3	3.2	19.1	5.7	3.1	34.9
20-Sep-14	41.5	24.4	32.4	53.5	53.5	45.2	14.3	15.7	66.2
27-Sep-14	23.4	39.8	11.3	15.8	-6.3	-22.8	2.9	6.3	36.4
04-Oct-14	13.2	-12.3	-9.2	22.1	9.5	26.0	-20.0	-15.8	46.1
11-Oct-14	-7.9	18.6	-2.3	-15.8	19.0	-6.6	2.8	-6.3	49.2
18-Oct-14	2.6	31.0	21.4	-3.1	-12.6	13.1	-2.9	28.4	34.0
25-Oct-14	18.4	9.4	-9.5	-0.0	9.3	13.0	-2.9	110.9	0.0
01-Nov-14	26.4	6.2	28.7	12.7	9.4	38.6	17.3	90.0	23.1
08-Nov-14	0.0	-0.0	-14.2	-6.4	9.5	-22.3	-0.0	57.2	12.7
15-Nov-14	-13.2	24.7	18.7	-12.7	-3.1	25.4	-23.3	19.0	23.3
22-Nov-14	26.3	12.4	-13.9	12.8	9.4	-6.4	8.8	57.4	5.2
01-Dec-14	-5.3	-21.7	9.1	15.8	-18.9	25.9	3.0	19.2	28.5
08-Dec-14	0.0	15.5	0.0	-15.8	12.6	-38.5	12.0	-22.3	-10.5
15-Dec-14	7.9	3.1	0.0	12.6	-22.3	12.7	0.0	19.0	7.8
22-Dec-14	-5.2	15.3	18.1	-19.0	3.2	18.8	0.0	12.6	-10.3
29-Dec-14	15.6	-18.6	-17.9	12.8	19.4	-3.1	0.0	6.3	7.7
05-Jan-15	-2.6	15.6	2.2	0.0	0.0	0.0	0.0	-3.2	5.0
12-Jan-15	-15.3	0.0	13.6	0.0	-3.2	0.0	0.0	9.6	5.0
19-Jan-15	7.6	-6.1	-4.6	0.0	3.2	0.0	0.0	0.0	0.0



Eden Research Laboratory

# Report Draft

2111 Menaul NE, Suite A  
Albuquerque, NM 87107  
T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)


Week Begin	IA	IB	IC	NA	NB	NC	PA	PB	PC
<b>26-Jan-15</b>	5.0	6.1	-2.3	-3.2	0.0	0.0	0.0	0.0	-2.5
<b>02-Feb-15</b>	-10.2	-18.6	-13.5	0.0	-3.2	0.0	0.0	0.0	-4.9
<b>09-Feb-15</b>	-7.6	24.4	22.2	0.0	0.0	3.2	0.0	-3.2	4.9
<b>16-Feb-15</b>	7.4	-18.4	-13.4	0.0	0.0	0.0	0.0	-3.2	2.4
<b>23-Feb-15</b>	4.9	6.1	-2.2	0.0	3.3	0.0	0.0	0.0	2.5
<b>02-Mar-15</b>	-2.4	-15.0	6.6	0.0	0.0	-3.2	0.0	0.0	2.4
<b>09-Mar-15</b>	2.4	17.9	-10.8	3.2	-3.3	0.0	0.0	0.0	0.0
<b>16-Mar-15</b>	4.7	-15.0	0.0	0.0	0.0	0.0	0.0	6.3	4.7
<b>23-Mar-15</b>	-4.7	24.2	15.0	0.0	0.0	0.0	12.4	12.6	7.1
<b>30-Mar-15</b>	4.7	-6.1	0.0	0.0	0.0	0.0	-3.1	0.0	4.8
<b>06-Apr-15</b>	2.4	9.2	-6.3	0.0	0.0	0.0	-3.1	0.0	4.7
<b>13-Apr-15</b>	-7.2	-12.2	10.7	0.0	0.0	3.2	3.1	0.0	-2.4
<b>20-Apr-15</b>	-9.5	18.2	-4.3	0.0	0.0	0.0	3.1	0.0	-2.4
<b>27-Apr-15</b>	9.7	-27.3	4.2	0.0	0.0	-3.1	-6.2	0.0	-4.7
<b>04-May-15</b>	0.0	3.0	0.0	0.0	0.0	6.2	0.0	0.0	7.0
<b>11-May-15</b>	16.6	-33.9	-19.4	0.0	-3.3	0.0	0.0	0.0	0.0

### METHANE SAMPLE SET

Week Begin	899A	899B	899C
<b>15-Feb-14</b>	478.7	492.8	462.1
<b>22-Feb-14</b>	127.9	169.5	138.6
<b>01-Mar-14</b>	26.1	60.4	153.7
<b>08-Mar-14</b>	77.5	38.7	112.9
<b>15-Mar-14</b>	191.8	423.5	267.1
<b>22-Mar-14</b>	193.6	270.7	0.0
<b>29-Mar-14</b>	170.9	0.0	184.8
<b>05-Apr-14</b>	222.7	216.3	409.5
<b>12-Apr-14</b>	365.9	389.8	37.2
<b>19-Apr-14</b>	468.1	99.0	125.4
<b>26-Apr-14</b>	226.6	24.2	16.8
<b>03-May-14</b>	207.9	103.7	123.6
<b>10-May-14</b>	131.1	50.3	49.9
<b>17-May-14</b>	0.0	115.0	114.4
<b>24-May-14</b>	431.1	95.5	17.3
<b>31-May-14</b>	269.6	123.8	165.6
<b>07-Jun-14</b>	72.1	22.9	28.8
<b>14-Jun-14</b>	63.6	52.1	48.3
<b>21-Jun-14</b>	444.2	63.4	90.4
<b>28-Jun-14</b>	55.7	32.7	35.4
<b>05-Jul-14</b>	63.0	38.3	30.1
<b>12-Jul-14</b>	101.7	27.1	27.2
<b>19-Jul-14</b>	123.8	36.6	104.3
<b>26-Jul-14</b>	109.7	15.2	86.3
<b>02-Aug-14</b>	35.5	27.2	67.3
<b>09-Aug-14</b>	50.7	27.1	176.9
<b>16-Aug-14</b>	39.0	12.0	40.2
<b>23-Aug-14</b>	38.7	30.4	52.0
<b>30-Aug-14</b>	35.4	39.3	78.7

Reproduce report ONLY in FULL

Total pages 12



Eden Research Laboratory

# Report Draft

2111 Menaul NE, Suite A  
Albuquerque, NM 87107  
T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)


Reproduce report ONLY in FULL  
Total pages 12

Page 7

Week Begin	899A	899B	899C
06-Sep-14	35.8	-0.0	60.0
13-Sep-14	39.2	18.2	30.2
20-Sep-14	21.0	30.4	11.9
27-Sep-14	72.7	52.4	47.3
04-Oct-14	54.9	61.0	26.2
11-Oct-14	123.5	102.0	20.4
18-Oct-14	384.3	447.3	162.5
25-Oct-14	109.3	393.1	186.6
01-Nov-14	6.0	174.9	156.2
08-Nov-14	0.0	141.0	183.1
15-Nov-14	35.2	-6.2	206.0
22-Nov-14	-2.9	-6.3	73.2
01-Dec-14	-2.8	3.1	26.6
08-Dec-14	8.5	-6.2	11.7
15-Dec-14	-2.8	27.4	23.7
22-Dec-14	-5.6	67.6	23.7
29-Dec-14	-5.5	33.7	17.7
05-Jan-15	2.8	9.3	8.9
12-Jan-15	5.6	18.8	20.8
19-Jan-15	0.0	15.6	35.3
26-Jan-15	0.0	25.2	14.9
02-Feb-15	-8.2	65.9	38.4
09-Feb-15	2.7	31.7	21.0
16-Feb-15	2.7	18.8	23.6
23-Feb-15	2.7	22.2	38.6
02-Mar-15	0.0	3.2	32.6
09-Mar-15	-5.5	3.2	20.7
16-Mar-15	-8.4	44.9	15.0
23-Mar-15	0.0	54.4	29.9
30-Mar-15	5.5	35.0	29.9
06-Apr-15	2.8	51.0	42.1
13-Apr-15	-8.4	9.5	75.8
20-Apr-15	-5.6	18.7	52.2
27-Apr-15	5.6	18.5	49.8
04-May-15	-8.6	48.9	55.6
11-May-15	2.9	-6.1	46.6

CARBON DIOXIDE CONTROL SET (mL)

Week Begin	IA	IB	IC	NA	NB	NC	PA	PB	PC
15-Feb-14	357.0	361.5	269.2	331.9	397.6	391.8	2883.8	2813.1	2657.3
22-Feb-14	94.5	106.9	70.3	101.3	102.6	88.6	644.7	863.9	857.8
01-Mar-14	21.1	21.9	-16.5	7.9	9.2	22.0	892.2	789.2	460.3
08-Mar-14	4.5	-1.5	38.6	11.9	9.8	37.4	172.8	224.1	163.5
15-Mar-14	1.6	17.9	74.3	-4.6	0.0	3.2	46.7	69.4	54.0
22-Mar-14	17.3	7.4	24.9	6.2	3.4	4.5	34.1	28.5	35.3
29-Mar-14	-6.2	-7.2	13.5	1.5	6.3	-2.9	-27.6	-22.8	-24.5
05-Apr-14	4.4	5.8	-15.2	-6.3	-9.9	3.0	-19.2	-13.1	-18.5
12-Apr-14	-4.3	-6.2	10.2	1.5	5.2	-8.7	8.4	-3.1	2.9



Eden Research Laboratory

# Report Draft


2111 Menaul NE, Suite A  
Albuquerque, NM 87107  
T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)

Reproduce report ONLY in FULL  
Total pages 12

Page 8

Week Begin	IA	IB	IC	NA	NB	NC	PA	PB	PC
19-Apr-14	4.4	1.5	-4.7	7.7	-4.8	-14.2	-4.7	-4.5	-10.9
26-Apr-14	-11.0	-13.3	-9.1	-20.6	-5.2	-7.8	-20.0	-8.9	-6.0
03-May-14	12.0	12.8	-3.0	8.9	-7.8	-2.9	8.2	3.0	7.8
10-May-14	-4.5	7.2	3.1	0.0	-6.9	6.1	4.6	-6.2	-10.4
17-May-14	-13.1	-7.0	-9.7	1.4	13.7	4.4	-13.1	-2.8	-0.0
24-May-14	-12.5	-17.0	-1.5	-17.6	-20.3	-0.0	-4.9	-5.8	-3.3
31-May-14	13.4	10.7	13.7	6.2	10.0	-11.5	3.3	12.9	8.9
07-Jun-14	-8.8	-3.0	-12.2	4.5	-8.2	-7.1	-3.3	-7.7	-8.2
14-Jun-14	-4.3	9.1	-0.0	90.9	11.1	-4.3	1.7	-8.9	2.9
21-Jun-14	8.1	20.6	4.9	13.8	-1.6	3.1	-6.8	5.8	-6.1
28-Jun-14	0.0	-10.8	-1.5	28.5	-53.3	-6.1	-1.6	-1.5	0.0
05-Jul-14	30.8	9.1	26.9	-22.5	198.0	-2.9	12.2	22.3	17.3
12-Jul-14	18.5	-5.9	4.7	8.0	-14.9	13.5	0.0	-17.8	-12.6
19-Jul-14	6.2	8.5	3.4	14.7	15.2	1.5	4.9	-1.4	7.9
26-Jul-14	16.7	1.6	12.9	-4.8	-6.7	13.3	-5.0	-1.5	-3.0
02-Aug-14	39.9	-4.3	10.1	7.7	22.7	23.0	-6.5	-4.6	-10.3
09-Aug-14	3.2	0.0	-19.5	-16.1	-4.9	2.9	4.8	4.7	-1.4
16-Aug-14	17.2	-0.0	-3.1	11.3	-17.0	12.6	4.8	4.6	3.0
23-Aug-14	24.1	11.4	-22.9	7.7	-1.7	19.6	-4.9	-1.4	-2.9
30-Aug-14	0.0	18.9	-23.6	-1.5	3.2	7.1	-1.5	-4.2	3.1
06-Sep-14	0.0	28.1	7.8	-5.8	1.7	5.9	-5.1	-0.0	6.3
13-Sep-14	11.5	24.9	-0.0	-3.0	1.7	8.8	3.2	1.6	19.7
20-Sep-14	26.0	12.0	22.7	27.3	29.2	22.7	8.3	7.9	37.9
27-Sep-14	13.7	18.3	8.3	7.5	-3.5	-11.4	1.6	3.0	21.5
04-Oct-14	7.6	-6.1	-6.6	10.7	5.1	12.5	-11.2	-7.6	27.9
11-Oct-14	-4.6	9.4	-1.7	-7.3	10.1	-2.8	1.6	-2.9	30.2
18-Oct-14	1.6	15.2	13.7	-1.5	-6.1	6.3	-1.7	13.6	20.2
25-Oct-14	10.9	4.5	-6.2	-0.0	5.1	6.0	-1.6	52.5	0.0
01-Nov-14	15.5	3.0	18.6	5.9	5.0	19.1	9.9	42.2	13.1
08-Nov-14	0.0	-0.0	-9.5	-3.1	5.3	-10.5	-0.0	27.4	7.4
15-Nov-14	-7.8	12.4	13.3	-6.1	-1.6	11.7	-13.4	9.2	14.4
22-Nov-14	15.1	6.3	-9.0	5.9	4.8	-3.0	4.9	27.2	3.0
01-Dec-14	-3.1	-10.7	6.7	7.4	-9.9	11.1	1.6	8.6	16.6
08-Dec-14	0.0	7.1	0.0	-7.3	6.2	-18.4	6.7	-10.7	-6.2
15-Dec-14	4.7	1.5	0.0	6.2	-10.7	5.9	0.0	9.4	4.6
22-Dec-14	-3.0	7.7	13.5	-9.1	1.7	9.1	0.0	5.9	-6.4
29-Dec-14	9.6	-9.4	-12.5	6.0	9.7	-1.5	0.0	3.0	4.3
05-Jan-15	-1.5	7.9	1.6	0.0	0.0	0.0	0.0	-1.6	3.1
12-Jan-15	-8.9	0.0	9.2	0.0	-1.7	0.0	0.0	4.2	3.0
19-Jan-15	4.5	-2.9	-3.3	0.0	1.7	0.0	0.0	0.0	0.0
26-Jan-15	2.9	2.9	-1.6	-1.5	0.0	0.0	0.0	0.0	-1.6
02-Feb-15	-6.3	-9.2	-9.7	0.0	-1.6	0.0	0.0	0.0	-3.2
09-Feb-15	-4.8	11.8	15.9	0.0	0.0	1.5	0.0	-1.4	2.9
16-Feb-15	4.8	-8.5	-9.7	0.0	0.0	0.0	0.0	-1.5	1.6
23-Feb-15	2.9	2.8	-1.6	0.0	1.6	0.0	0.0	0.0	1.6
02-Mar-15	-1.6	-8.1	4.6	0.0	0.0	-1.5	0.0	0.0	1.6
09-Mar-15	1.6	9.4	-7.9	1.6	-1.6	0.0	0.0	0.0	0.0
16-Mar-15	3.1	-8.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0



Eden Research Laboratory

# Report Draft

2111 Menaul NE, Suite A  
Albuquerque, NM 87107  
T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)


Reproduce report ONLY in FULL  
Total pages 12

Page 9

Week Begin	IA	IB	IC	NA	NB	NC	PA	PB	PC
<b>23-Mar-15</b>	-3.1	12.3	11.1	0.0	0.0	0.0	6.4	6.0	4.7
<b>30-Mar-15</b>	3.0	-3.1	0.0	0.0	0.0	0.0	-1.6	0.0	2.9
<b>06-Apr-15</b>	1.5	4.6	-4.7	0.0	0.0	0.0	-1.6	0.0	3.1
<b>13-Apr-15</b>	-4.4	-6.1	8.0	0.0	0.0	1.5	1.7	0.0	-1.6
<b>20-Apr-15</b>	-6.3	9.3	-3.1	0.0	0.0	0.0	1.6	0.0	-1.6
<b>27-Apr-15</b>	5.8	-14.4	3.2	0.0	0.0	-1.6	-3.3	0.0	-3.2
<b>04-May-15</b>	0.0	1.4	0.0	0.0	0.0	2.9	0.0	0.0	4.4
<b>11-May-15</b>	10.9	-17.2	-14.1	0.0	-1.7	0.0	0.0	0.0	0.0

### CARBON DIOXIDE SAMPLE SET

Week Begin	899A	899B	899C
<b>15-Feb-14</b>	749.2	559.3	589.4
<b>22-Feb-14</b>	105.9	148.8	108.2
<b>01-Mar-14</b>	18.0	49.1	115.0
<b>08-Mar-14</b>	79.7	35.3	120.3
<b>15-Mar-14</b>	130.8	317.6	206.8
<b>22-Mar-14</b>	137.1	218.8	0.0
<b>29-Mar-14</b>	117.0	0.0	138.9
<b>05-Apr-14</b>	156.6	165.8	298.6
<b>12-Apr-14</b>	258.0	297.9	27.4
<b>19-Apr-14</b>	332.0	79.3	94.9
<b>26-Apr-14</b>	161.3	17.6	12.4
<b>03-May-14</b>	142.2	75.4	91.2
<b>10-May-14</b>	87.3	37.4	36.8
<b>17-May-14</b>	0.0	86.1	83.7
<b>24-May-14</b>	280.2	69.5	12.0
<b>31-May-14</b>	185.7	87.3	117.1
<b>07-Jun-14</b>	49.2	16.4	21.2
<b>14-Jun-14</b>	41.9	37.5	36.9
<b>21-Jun-14</b>	291.7	47.7	62.4
<b>28-Jun-14</b>	36.6	23.4	25.1
<b>05-Jul-14</b>	43.4	26.7	21.0
<b>12-Jul-14</b>	65.8	18.2	18.7
<b>19-Jul-14</b>	78.3	24.3	71.1
<b>26-Jul-14</b>	70.7	10.2	56.0
<b>02-Aug-14</b>	21.6	18.7	44.3
<b>09-Aug-14</b>	31.2	19.1	120.2
<b>16-Aug-14</b>	25.9	7.8	28.2
<b>23-Aug-14</b>	24.1	20.7	35.9
<b>30-Aug-14</b>	21.1	26.5	55.2
<b>06-Sep-14</b>	21.7	-0.0	40.5
<b>13-Sep-14</b>	25.9	12.8	20.3
<b>20-Sep-14</b>	12.9	19.9	8.0
<b>27-Sep-14</b>	45.0	34.2	31.8
<b>04-Oct-14</b>	32.2	41.6	18.3
<b>11-Oct-14</b>	75.7	66.9	14.6
<b>18-Oct-14</b>	233.9	291.8	114.8
<b>25-Oct-14</b>	63.3	255.6	124.1



Eden Research Laboratory

# Report Draft

2111 Menaul NE, Suite A  
Albuquerque, NM 87107

T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)

Reproduce report ONLY in FULL  
Total pages 12


Page 10

## ASTM D5511-12 - Anaerobic High Solids Biodegradability -

Week Begin	899A	899B	899C
01-Nov-14	3.6	111.9	113.5
08-Nov-14	0.0	91.4	133.2
15-Nov-14	23.2	-4.1	147.1
22-Nov-14	-2.0	-4.2	51.5
01-Dec-14	-1.8	2.1	19.0
08-Dec-14	5.4	-4.3	8.1
15-Dec-14	-1.9	18.5	16.9
22-Dec-14	-3.8	43.6	16.3
29-Dec-14	-3.8	22.2	12.4
05-Jan-15	1.9	6.4	6.3
12-Jan-15	3.9	12.1	14.5
19-Jan-15	0.0	9.9	23.7
26-Jan-15	0.0	16.3	10.6
02-Feb-15	-5.3	43.3	28.2
09-Feb-15	1.8	19.2	14.1
16-Feb-15	1.8	12.2	16.5
23-Feb-15	1.9	14.5	28.0
02-Mar-15	0.0	1.7	18.3
09-Mar-15	-3.0	1.6	10.3
16-Mar-15	-4.2	23.2	7.7
23-Mar-15	0.0	27.1	16.8
30-Mar-15	2.8	17.4	16.2
06-Apr-15	1.4	23.9	21.9
13-Apr-15	-4.3	4.7	41.0
20-Apr-15	-2.9	9.5	27.1
27-Apr-15	3.0	9.9	26.7
04-May-15	-4.2	25.8	28.1
11-May-15	1.4	-2.9	25.1

### DATA ANALYSIS

	Inculum	Negative	Positive	899 - [REDACTED] Tennis Shoes 1% (EVA)
Cumulative Gas Volume (mL)	1463.4	1642.7	9399.6	9495.2
Percent CH <sub>4</sub> (%)	44.8	45.8	44.4	56.0
Volume CH <sub>4</sub> (mL)	655.2	751.9	4177.4	5321.8
Mass CH <sub>4</sub> (g)	0.47	0.54	2.98	3.80
Percent CO <sub>2</sub> (%)	43.1	40.0	49.4	42.1
Volume CO <sub>2</sub> (mL)	631.0	657.3	4646.4	4002.1
Mass CO <sub>2</sub> (g)	1.24	1.29	9.13	7.86
Sample Mass (g)	1,000	10	10	10
Theoretical Sample Mass (g)	0.0	8.6	4.4	8.2
Biodegraded Mass (g)	0.69	0.75	4.73	4.99
Percent Biodegraded (%)		0.8	91.4	52.8



Eden Research Laboratory

# Report Draft


2111 Menaul NE, Suite A  
Albuquerque, NM 87107

T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)

ASTM D5511-12 - Anaerobic High Solids Biodegradability


## Cumulative Gas Volume (Background Corrected)



### CONCLUSION

Upon consideration of gas production analysis, it becomes obvious that biodegradation has occurred in the study sample. It appears that a linear slope has developed for this sample. It appears sample 899 is continuing to biodegrade.


## Biodegradation



Reproduce report ONLY in FULL

Total pages 12

Page 11



Eden Research Laboratory

# Report

# Draft

2111 Menaul NE, Suite A  
Albuquerque, NM 87107  
T 505.508.3994

[thomas.poth@edenresearchlab.com](mailto:thomas.poth@edenresearchlab.com)

Thomas Poth  
Laboratory Director  
Eden Research Laboratory

## ASTM D5511-12 - Anaerobic High Solids Biodegradability - [REDACTED]

Prediction of time to total biodegradation of sample 899 has not been determined but is likely to continue. Over a 457 day period the [REDACTED] EVA sample (899) indicates about 53% biodegradation. These results are very good. Sample 899 easily surmounted the let down rate of the bio-additive. It is important to note that negative movement in biodegradation is the result of the inoculum outperforming the sample or control.

The positive control has surmounted the required 70%+ biodegradation after approximately 16 days. These samples will go through many biological cycles as they biodegrade. It seems the syntrophic effect of the microbes has been fulfilled for this sample. It is not uncommon for this to take up to 90+ days before the microbial colonies reach a quorum.

Upon physical examination of the small amount remain sample, it indicated that the integrity of the foam sample had been compromised destroying its spongelike characteristic. It collapsed when only slight pressure was applied.

Reproduce report ONLY in FULL  
Total pages 12